

Review of COVID-19 Vaccine Survey

Merissa Andersen, PharmD, MPH

Jill Paslier, PharmD, CSP

ISMP International Medication Safety Management Fellows

 @intmedafe

Survey Findings



**ALL DATA PRESENTED IS FROM
SURVEY RESPONSES FROM
FEBRUARY 11, 2021 TO
MARCH 5, 2021**



**WE EXPECT THAT THERE MAY
HAVE BEEN MANY CHANGES
SINCE YOUR INITIAL
RESPONSES**



**PLEASE UPDATE US IN THE
CHAT AS WE GO OR POST TO
THE MEMBERS BLOG AFTER
THIS MEETING**

Vaccine availability by country

Country	Moderna	Pfizer BioNTech/"Comirnaty"	AstraZeneca	Sinovac/Coronavac/ Beijing Kexing	Sinopharm/China Ntn'l Biotech Group
Brazil			X	x	
France	X	X	X		
Netherlands	X	X	X		
UK	X	X	X		
USA	X	X			
New Zealand		X			
Hong Kong SAR (HKSAR)		X	In review	In review	
Ireland	X	X	X		
Canada	X	X			
Columbia		X	X	X	
Qatar	X	X			
Oman		X	X		
Portugal	X	X	X		
China				X	X
Australia		X	X		
Saudi Arabia		X	X		
Germany	X	X	X		
Spain	X	X	X		
Norway	X	X	X		
Singapore	X	X			
Morocco			X		X

Take Away Points

- Pfizer vaccine is the most widely used
- Moderna and AstraZeneca are also widely used
- Few countries are using Sinopharm and Sinovac

Initial roll outs



France: mRNA vaccines for 75+/50+ with co-morbidities

Netherlands: 80+ first

Singapore: elderly, persons with vascular medical comorbidities

France: AZ vaccine first for healthcare workers


NZ: frontline border staff and their families

Morocco: Healthcare professionals 40+

ISMP Confidential

Who is eligible for vaccines, by age

Every state has started widely vaccinating older adults, though the minimum eligibility age varies across the country.




Data as recent as April 1.

Sources: State and county health departments.

<https://www.nytimes.com>

COVID-19 Vaccine Concerns



Top Three Concerns

Dilution Errors

- Administering non-diluted vaccine
- Administering incorrectly diluted vaccine
- Administering only the diluent

Vaccine Waste

- Accessing labeled quantity
- Scheduling issues

Errors with Second Dose

- Second dose given when not needed
- Second dose given late due to vaccine shortage
- Incorrect manufacturer given for second dose

Other Notable Concerns

Flu-Like Symptoms

- Results in low staffing in healthcare facilities the day after staff is vaccinated

Allergic Reactions

Adverse Drug Events

Questions?
